


# **KPHB-1608CGKSYKC-GX**

1.6 x 0.8 x 0.5 mm Bi-Color Surface Mount LED



# **DESCRIPTIONS**

- The Green source color devices are made with AlGaInP on GaAs substrate Light Emitting Diode
- The Super Bright Yellow device is made with AlGaInP (on GaAs substrate) light emitting diode chip
- · Electrostatic discharge and power surge could damage the LEDs
- . It is recommended to use a wrist band or anti-electrostatic glove when handling the LEDs
- · All devices, equipments and machineries must be electrically grounded

# **FEATURES**

- 1.6 x 0.8 mm SMD LED, 0.5 mm thickness
- · Compatible with reflow soldering
- · Available in various color combination
- Package: 2000 pcs / reel
- Moisture sensitivity level: 3
- · Tinned pads for improved solderability
- · Halogen-free
- · RoHS compliant

### **APPLICATIONS**


- Backlight
- · Status indicator
- · Home and smart appliances
- · Wearable and portable devices
- Healthcare applications

### **ATTENTION**

Observe precautions for handling electrostatic discharge sensitive devices




# **PACKAGE DIMENSIONS**



# RECOMMENDED SOLDERING PATTERN

(units: mm; tolerance:  $\pm$  0.1)



- 1. All dimensions are in millimeters (inches)
- Tolerance is ±0.15(0.006") unless otherwise noted.
   The specifications, characteristics and technical data described in the datasheet are subject to
- change without prior notice.

  The device has a single mounting surface. The device must be mounted according to the specifications

# **SELECTION GUIDE**

Part Number	Emitting Color (Material)	Lens Type	Iv (mcd) @ 20mA [2]		Viewing Angle [1]	
			Min.	Тур.	201/2	
KPHB-1608CGKSYKC-GX	Green (AlGaInP)	Water Olean	20	50		
	Super Bright Yellow (AlGalnP)	Water Clear	80	150	130°	

Notes.
1. 61/2 is the angle from optical centerline where the luminous intensity is 1/2 of the optical peak value.
2. Luminous intensity / luminous flux: +/-15%.

3. Luminous intensity value is traceable to CIE127-2007 standards.





# **ELECTRICAL / OPTICAL CHARACTERISTICS at T<sub>A</sub>=25°C**

Parameter	Comple of	Freitting Colon	Value		11-14
Parameter	Symbol	Emitting Color	Тур.	Max.	Unit
Wavelength at Peak Emission I <sub>F</sub> = 20mA	$\lambda_{peak}$	Green Super Bright Yellow	574 590	-	nm
Dominant Wavelength I <sub>F</sub> = 20mA	λ <sub>dom</sub> <sup>[1]</sup>	Green Super Bright Yellow	570 590	-	nm
Spectral Bandwidth at 50% $\Phi$ REL MAX I <sub>F</sub> = 20mA	Δλ	Green Super Bright Yellow	20 20	-	nm
Capacitance	С	Green Super Bright Yellow	15 20	-	pF
Forward Voltage I <sub>F</sub> = 20mA	V <sub>F</sub> <sup>[2]</sup>	Green Super Bright Yellow	2.1 2.0	2.5 2.5	V
Reverse Current (V <sub>R</sub> = 5V)	I <sub>R</sub>	Green Super Bright Yellow	-	10 10	μА
Temperature Coefficient of $\lambda_{peak}$ $I_F$ = 20mA, -10°C $\leq$ T $\leq$ 85°C	$TC_{\lambdapeak}$	Green Super Bright Yellow	0.12 0.12	-	nm/°C
Temperature Coefficient of $\lambda_{dom}$ $I_F$ = 20mA, -10°C $\leq$ T $\leq$ 85°C	TC <sub>Adom</sub>	Green Super Bright Yellow	0.08 0.07	-	nm/°C
Temperature Coefficient of $V_F$ $I_F$ = 20mA, -10°C $\leq$ T $\leq$ 85°C	TC <sub>V</sub>	Green Super Bright Yellow	-1.9 -1.9	-	mV/°C

### Notes:

# ABSOLUTE MAXIMUM RATINGS at T<sub>A</sub>=25°C

Parameter.	Symbol	Va			
Parameter		Green	Super Bright Yellow	Unit	
Power Dissipation	P <sub>D</sub>	75	75	mW	
Reverse Voltage	V <sub>R</sub>	5	5	V	
Junction Temperature	Tj	115	115	°C	
Operating Temperature	T <sub>op</sub>	-40 to	°C		
Storage Temperature	T <sub>stg</sub>	-40 to	°C		
DC Forward Current	I <sub>F</sub>	30 30		mA	
Peak Forward Current	I <sub>FM</sub> <sup>[1]</sup>	150 175		mA	
Electrostatic Discharge Threshold (HBM)	-	3000	3000	V	
Thermal Resistance (Junction / Ambient)	R <sub>th JA</sub> <sup>[2]</sup>	480	690	°C/W	
Thermal Resistance (Junction / Solder point)	R <sub>th JS</sub> <sup>[2]</sup>	350	600	°C/W	


<sup>1.</sup> The dominant wavelength (\lambda\rho) above is the setup value of the sorting machine. (Tolerance \lambda : \(\frac{\pmathcal{\pmathc

Notes:
1. 1/10 Duty Cycle, 0.1ms Pulse Width.
2. R<sub>th. JA</sub>, R<sub>th. JS</sub> Results from mounting on PC board FR4 (pad size ≥ 16 mm² per pad).
3. Relative humidity levels maintained between 40% and 60% in production area are recommended to avoid the build-up of static electricity – Ref JEDEC/JESD625-A and JEDEC/J-STD-033.





# **TECHNICAL DATA**


### **RELATIVE INTENSITY vs. WAVELENGTH**



### **SPATIAL DISTRIBUTION**











### **REFLOW SOLDERING PROFILE for LEAD-FREE SMD PROCESS**

### 300 above 255°C (°C) 260°C max. 30s max. 10s max. 250 3°C/s max 6°C/s max. 200 150 pre-heating 100 150~200°C above 217°C 60~120s 60~150s 50 25°C 0 0 50 100 150 200 250 300 (sec) Time

# **TAPE SPECIFICATIONS** (units: mm)



### **REEL DIMENSION** (units: mm)



### Notes

- Don't cause stress to the LEDs while it is exposed to high temperature
- The maximum number of reflow soldering passes is 2 times.
   Reflow soldering is recommended. Other soldering methods are not recommended as they might cause damage to the product.

### **PACKING & LABEL SPECIFICATIONS**





# **PRECAUTIONARY NOTES**

- The information included in this document reflects representative usage scenarios and is intended for technical reference only.
- The part number, type, and specifications mentioned in this document are subject to future change and improvement without notice. Before production usage customer should refer to the latest datasheet for the updated specifications.

  When using the products referenced in this document, please make sure the product is being operated within the environmental and electrical limits specified in the datasheet. If
- customer usage exceeds the specified limits, Kingbright will not be responsible for any subsequent issues.
- The information in this document applies to typical usage in consumer electronics applications. If customer's application has special reliability requirements or have life-threatening liabilities, such as automotive or medical usage, please consult with Kingbright representative for further assistance.
- The contents and information of this document may not be reproduced or re-transmitted without permission by Kingbright
- All design applications should refer to Kingbright application notes available at https://www.Kingl

